


# Spread Call Video

## Configuration and Integration into your Website



- 1 Overview .....3**
- 2 Providing a Video .....3**
- 3 Configuration of the Spread Call Video .....3**
  - 3.1 Basic Configuration for Spread Call Products ..... 3
    - 3.1.1 Language and Country Settings .....3
    - 3.1.2 Website Title (optional) .....4
    - 3.1.3 Sending Email (optional) .....4
    - 3.1.4 Linking into a Call-In Conference (Channel Package Required).....4
    - 3.1.5 Spread-ID Transfer .....4
    - 3.1.6 Business Hours.....5
    - 3.1.7 Phone Numbers.....5
    - 3.1.8 Further Settings .....5
  - 3.2 Specific Configuration for the Spread Call Video..... 5
    - 3.2.1 Setting up the Video.....5
    - 3.2.2 Start Behaviour of the Videos .....5

3.3 Summary.....	6
3.3.1 Grundkonfiguration für Spreed Call Produkte .....	6
3.3.2 Specific Configuration for the Spreed Call Video.....	6
<b>4 HTML Integration.....</b>	<b>6</b>
<b>5 Example of the Spreed Call Integration .....</b>	<b>7</b>

## 1 Overview


This document describes the configuration of the Spread Call Video through modifications of the variables in the supplied JavaScript code, the properties in the Spread Call Administration as well as the integration of the JavaScript code into a web page.

## 2 Providing a Video

For creating a Spread Call Video please provide an FLV video file on a web server. The link to this file will be required later on.

## 3 Configuration of the Spread Call Video

Spread allows you to adjust your Spread Call Video. The following modifications are available:

-  Folgende Anpassungsmöglichkeiten für den Spread Call Video stehen Ihnen dabei zur Verfügung:
- Language
  - Country
  - Title
  - Sending an email
  - Linking into a conference
  - Implementation of an own video
  - Start behaviour of the video
  - Business hours
  - Telephone numbers

Via „My Spread“ ► „Telephony“ ► „Spread Call“ you get the pages „Integration“ and „Properties“. Here you can setup your Spread Call Video. The JavaScript on the page „Integration“ contains the settings for the Spread Call.

It starts with: `<script type="text/javascript">`  
 And ends with: `</script>`


All described variables must be contained between these start and end tags. Further settings can be done via the page „Properties“.

### 3.1 Basic Configuration for Spread Call Products

We provide the following configuration possibilities for all Spread Call products:

#### 3.1.1 Language and Country Settings

The variable **`spreadCall_language`** defines the writing of the Spread Call form field.

-  You can choose from the following:
- German (**`de`**)
  - English (**`en`**).

With the variable **`spreadCall_country`** you can define the default country for your Spread Call. While this setting can be modified by individual users via a drop-down menu later on, our recommendation is to define a default to simplify navigation.

To define a German Spread Call with a German country setting please use the following script rows:

```
var spreadCall_language = ,de';  
var spreadCall_country = ,DE'
```

### 3.1.2 Website Title (optional)

You can assign a unique name to every Spread Call, which can be read to you when you are called. This allows you to identify the Spread Call in case you decided to use more than one Spread Call.

For example:

```
var spreadCall_title = ,startpage';
```

### 3.1.3 Sending Email (optional)

Your Spread Call can also inform you about a call via Email.



To modify the behaviour, set the variable **spreadCall\_emailMode** to one of the following values:

- 0 (No Emails will be sent.)
- 1 (In case of errors, Emails are sent.)
- 2 (Every call generates an Email.)

If you do not define this variable in your script, no Email will be sent.

The following example will send an Email in case of an error:

```
var spreadCall_emailMode = ,1';
```

### 3.1.4 Linking into a Call-In Conference (Channel Package Required)

The user can, during a call, be directed to a conference in progress. The variable to set is **spreadCall\_conference** with the value being the conference the user should be connected to.

The following example links to user to the conference with a meeting ID of 1234567:

```
var spreadCall_conference = ,1234567';
```

### 3.1.5 Spread-ID Transfer

In order to use your own Spread Call you must be uniquely identified. This is accomplished via a ticket, which you need to pass to Spread Call through the variable **spreadCall\_ticket**.

To generate the unique ticket you need to go to the following website and cut and paste the result into the variable `spreadCall_ticket` as in the following example:


```
https://one.spread.com/portal_spread_phone/generateTicket?unlimited=1
```

The character string you receive needs to be set via the variable `spreadCall_Ticket`. For examples:

```
var spreadCall_ticket = ,characterstring;
```

### 3.1.6 Business Hours

Besides it is important to setup the business hours via „Properties“:


 **Please know:** If no business hours are defined, you are not available. No Spread Calls can be patched through.

### 3.1.7 Phone Numbers

Define the phone numbers to be called in the „Properties“. The phone numbers must be entered in international format starting with a „+“, e.g. +18774612631 for 1&1 USA.

### 3.1.8 Further Settings

Prove possible further configuration possibilities in your „Properties“ and the „Integration“:

 **Please know!** Specific parameters can be defined by using a variable as well as in the Spread Administration. In this process the variable always dominates. Thereby you can define a special setting global for several Spread Calls (via „Properties“ and „Integration“) and change it only for one Spread Call (via the according variable).

## 3.2 Specific Configuration for the Spread Call Video

The following scripts are required for the configuration of the Spread Call Video:

### 3.2.1 Setting up the Video

In order to use the Spread Call Video you need to know the URL of your video on YouTube. The variable `spread-Call_stream` needs to be set to the complete URL.

Example:

```
var spreadCall_stream = 'http://youtube.com/watch?v=YSChzGlhGiA';
```

### 3.2.2 Start Behaviour of the Videos

In addition, you can decide if you would like the video to start automatically or if the user needs to click on the Play-Button.

The variable that controls this feature is ***spreadCall\_videoAutostart***:

***true*** (start automatically) or  
***false*** (don't start automatically).

Script for automatic start:

```
var spreadCall_videoAutostart = ,true';
```

## 3.3 Summary

The following variables setup the lock and the behaviour of the Spread Call Video:

### 3.3.1 Grundkonfiguration für Spread Call Produkte

Variable	Description
<b><i>spreadCall_language</i></b>	Defines the language for form fields.
<b><i>spreadCall_country</i></b>	Sets the default Country and country area code.
<b><i>spreadCall_title</i></b>	Defines a title for the Spread Call that will be announced before a call (optional).
<b><i>spreadCall_emailMode</i></b>	Defines the email behaviour (optional).
<b><i>spreadCall_conference</i></b>	Sets the meeting ID that the users connects to when they call.
<b><i>spreadCall_ticket</i></b>	Sets the string that identifies you as a Spread user.

### 3.3.2 Specific Configuration for the Spread Call Video

Variable	Description
<b><i>spreadCall_stream</i></b>	Set the URL of the video stream
<b><i>spreadCall_videoAutostart</i></b>	Defines to automatically start the video stream

## 4 HTML Integration

To integrate the Spread Call into your website place the created JavaScript code on the right position of your website:

```
<script type="text/javascript">
  var spreadCall_language = 'de';
  var spreadCall_country = 'DE';
  var spreadCall_ticket = 'YOURTICKET';
  <!-- Add optional parameters here -->
</script>
<script type="text/javascript" src="http://spread.com/Spread Call-integration.js">
</script>
```

## 5 Example of the Spread Call Integration

The following screenshots show examples of how the Spread Call Video can be incorporated into your website.





Fig.1:  
Spread Call Video



*Fig.2:  
Form after clicking  
"Call"*

Now you can take advantage of the Spreed Call telephone service by incorporating Spreed Call into your web-site.

Please visit [www.spreed.com](http://www.spreed.com) for more information.



## **Spreed Germany (Headquarters)**

struktur AG / Spreed  
Kronenstr. 22A  
70173 Stuttgart

Phone: +49-711 - 89 66 56 66

Fax: +49-711 - 89 66 56 10

Business hours:

9 am – 6 pm

Email: [info@spreed.com](mailto:info@spreed.com)

Web: [www.spreed.com](http://www.spreed.com)



Brian Krause,  
Customer consultant

## **Further questions?**

Click here. We call you in a few seconds at our cost - worldwide. Please keep your phone ready!

**Call now**